

# SUBJECT INDEX

## A

- Abscisic acid, 188, 190
- Abutilon mosaic virus, 56
- Acroboloides buetschlii*
  - nitrogen fixation inhibition, 280
- Aeciospores
  - germination stimulation, 178-79
- Aegricorpus, 201, 203-4, 213-14, 219
  - definition, 202
- Aeration
  - effect on *Sclerotium rolfsii*, 98-99, 104
- African cassava mosaic virus, 58
  - bipartate genome, 62
  - control, 77
  - detection, 72
  - disease losses, 58-59
  - evolution, 71
  - geminiviruses relationships, 68-70
  - genome organization, 63-65
    - diagram, 64
  - infective DNA, 63
  - particles, 60
  - spread, 75-76
  - transcription, 66
  - transmission, 74-75
  - variants, 67
    - formation, 67
- Agrobacterium radiobacter*
  - bacteriocins, 406
  - biocontrol failure, 404
  - plasmids, 404
- rhizogenes*
  - plasmid incompatibility groups, 404
  - Ri plasmid, 307
- tumefaciens*, 165
  - bacteriocins, 406
  - bacteriophage Mu, 302
  - chromosomal markers transfer, 314
  - chromosomal virulence factors, 314
  - cytokinin formation, 393-94
  - endogenous transfer, 404
  - gene linkage, 400
  - gene order, 400
  - host-range control, 396-97
  - indoleacetic acid formation, 393

- insertion elements, 401
- mutants characteristics, 308
- recombination, 401
- tartrate utilization, 406-7
- T-DNA transfer, 396
- Ti plasmid, 301, 307
- Agrocinopines, 406
- Agrocin, 406
- Agroecosystems
  - see Nematode ecology in agroecosystems
- Alfalfa mosaic virus
  - monoclonal antibodies, 328
  - amino acid sequence homology, 337
  - strain detection, 332
- Alginate, 32, 37
- Allen, Lucy Doris, 15
- Alternaria alternata*, 157, 186, 441, 481, 483-85
- citri*, 430
- solani*, 152, 156
- tenuis*
  - population reduction by nematodes, 278
- Ammonia, 30
- a-Amylase, 189
- Anguina tritici*
  - temperature effect, 284
- Anionic isoperoxidase, 227-28
- Anther culture
  - regeneration frequencies, 162
  - resistance breeding, 159-62
- Aphasmatylenchus straturatus*
  - effect on nitrogen fixation, 282
- Aphelenchus avenae*
  - fungivore, 278
  - fungus pathogen control, 278-79
- Apple mosaic virus
  - antigenic relationships, 333
  - assay, 331-32
- Appressoria
  - postharvest diseases, 423-24, 440, 442-43
- Arbutin, 386
- Armillaria mellea*
  - biocide effect on antagonist attack, 33
  - fumigation control reason, 38
  - soil treatment effect on antagonist attack, 34
  - Trichoderma control, 44
- Aspergillus oryzae*, 188-89
- Athelia rolfsii*, 108

- Avocado
  - postharvest disease control, 443-44

## B

- Bacillus thuringiensis*, 341
- Bacteriophage Mu, 301, 309
  - lac gene-fusion plasmids, 302-3
  - vectors, 302
- Banana
  - postharvest disease control, 438-40
- Barley
  - powdery mildew resistance
    - energy costs, 477-80
    - factors, 476-77
    - plant growth and yield limitation, 480
    - respiration, 478
    - yield-limiting effect of nonhost resistance, 480-87
  - saprophytic leaf fungi
    - composition, 482
    - defense-like changes incited by saprophytes, 481, 483-85
    - elimination effect on yield, 485-86
    - inoculation effect on yield, 486-87
    - occurrence and frequency, 481
- Barley yellow dwarf virus, 330
  - strain
    - antigenic relationships, 333
    - detection, 332
    - structure disruption, 328
- Barley yellow mosaic virus
  - resistance breeding, 160-61
- BARSIM-I, 355, 363, 366, 368
  - data basis, 362
  - host growth, 368
  - initializing the model, 369
  - output severity use, 361
  - similar unit element, 367
  - spatial attributes representation, 369
  - time delays, 371
  - tracking time, 365
  - use, 374
  - weather variables, 370
- Bayley-Balfour, Isaac, 15
- Bean common mosaic virus
  - antigenic relationships, 334

- Bean golden mosaic virus, 55  
   diagnosis, 73  
   evolution, 71  
   geminiviruses relationships, 68  
     DNA sequence homologies, 70-71  
   genome  
     organization, 63  
     size, 62  
   particles, 60  
     components, 60  
 Beet curly top virus, 55, 58-59, 65  
   control, 77  
   detection, 72  
     in vector, 74  
   evolution, 72  
   geminiviruses relationships, 68  
   host reservoirs, 75  
   particle components, 60  
   stability, 60  
   variants, 67  
   vector transmission, 73-74  
 Benomyl, 425-27, 432, 439-44, 485  
   cutinase inhibition, 244  
   resistance, 434  
   resistance, 433-34  
 Benzaldehyde, 175  
   occurrence, 176  
   teliospore germination stimulation, 179  
 Benzoic acid, 443  
 Benzonitrile, 175, 178, 181-82  
 Benzylcyanide, 175  
 Bernard, Noel, 20  
 Bioregulatory action of flavor compounds, 173-99  
   effects on differentiation and growth, 184-86  
   effects on enzyme induction, 189-90  
   germination stimulation  
     other genera, 179-80  
     pine pollen, 183  
     rust and smuts, 176-79  
     urediniospores in pustules, 180-83  
     weed seed, 183-84  
   germination stimulators nature  
     occurrence, 175  
     table, 176  
   homologous series of compounds, 188-89  
   implications for disease and pest control, 193-95  
   interactions of stimulators and water vapor, 187  
   nonal and water interaction, 187-88  
   introduction, 173-74  
   mechanisms of action, 190-93  
   physical and chemical properties of flavor compounds, 174-75  
 Biphenyl, 431  
   resistance, 434  
 Blackman, V. H., 15, 17  
*Blakeslea trispora*, 179, 190  
*Boletus variegatus*, 185  
 Boolean model  
   environment/parasite/host specificity, 214-15  
   application, 215  
   detecting definitive genotypes, 217  
   gene management, 217-18  
   physiological basis of definitive phenotypes, 218  
   quantitative effects, 215-17  
   race concept, 218  
   parasite/host specificity, 208-10  
   summary, 218-19  
 Borax, 431  
 Borlaug, Norman, 8  
*Botrytis*  
   *allii*, 47  
   *cinerea*, 43-44, 86-87  
     cutinase, 228-29  
     quiescent infections, 424  
   Brierley, William, B., 21  
   Broatch, Margaret, 13  
 Brome mosaic virus  
   amino acid sequence homology, 337  
   RNA-dependent RNA replicase complex, 336  
   structure disruption, 328  
 Brown, Gavin, 13  
 Brown, Lucy, 13-14  
 Brown, William, 13-18  
   early life, 13  
   education and move to London, 14-15  
   personal research, 15-16  
   university teacher, 16-17  
 Burkhard, Willy, 22  
*sec-Butylamine*, 428, 430-32, 434  
 C  
*Caenorhabditis elegans*  
   temperature effect, 284  
 Calcium, 114  
*Caloscypha fulgens*, 88  
 Captafol, 444  
 Captan, 425  
 Carbendazim, 427, 432-33, 439, 444  
 Carbon dioxide  
   effect  
     *Sclerotium rolfsii*, 98-99  
     *Trichoderma* growth, 24-25  
 Carbon disulfide, 38  
 Carboxymethylcellulase, 385  
 Carnation ringspot virus, 334  
 Carotene, 179  
 Carvone, 177  
 Cauliflower mosaic virus  
   amino acid homology, 337  
 Cellulase, 107  
   genes, 314  
   molecular genetics, 385-86  
*Ceratomyces paradoxa*, 443  
   *piceae*  
     coremia formation, 186  
   *ulmi*, 43  
 CERCOS  
   gaming, 373-74  
   validity testing, 373  
 Cereal rusts, parasite/host/environment specificity, 201-22  
   environmental influences on parasite/host specificity, 210-11  
     conclusion, 213  
     evidence from other systems, 212-13  
     historical perspectives, 211-12  
   extension of Boolean model to include environment, 214-15  
   application, 215  
   detecting definitive genotypes, 217  
   gene management, 217-18  
   physiological basis of definitive phenotypes, 218  
   quantitative effects, 215-17  
   race concept, 218  
   genetic basis of parasite/host specificity, 204  
   a Boolean model, 208-10  
   differing views of gene-for-gene concept, 204-5  
   model, 206-8  
   proof, 205-6  
   Robinson's Person/Habgood model, 207-8  
   introduction, 201-2  
   summary, 218-19  
   terminology, 202  
   disease, 202  
   parasite:host association, 202  
   resistance, 203-4  
 Chitin, 286

- Chitinase, 47-48  
 Chlamydozoospores, 37  
     *Trichoderma* and *Gliocladium*, 29-30  
         formation, 25-26  
         germination, 26  
 Chloris striate mosaic virus particles, 59-60  
 Chlorothalonil, 425, 442  
 Citrus  
     postharvest disease control, 430-38  
*Cladosporium*  
     *cladosporioides*, 481, 483-84  
     *herbarum*, 481, 483, 487  
     *macrocarpum*, 481, 483, 487  
*Clostridium botulinum*, 341  
*Colletotrichum*  
     *capsici*  
         cutinase, 236, 238  
         *gloeosporioides*  
             control, 243  
             cutinase, 229, 232  
             host penetration, 237, 240  
             inoculum reduction, 423  
             latent stage, 424  
         *graminicola*  
             cutinase, 229  
             host penetration inhibition, 240  
     *musae*  
         latent stage, 423-24  
 Continuous Systems Modeling Program, 363, 365, 367, 370  
 Coremia formation, 186  
 Coronatine, 390-91  
*Corynebacterium*  
     *flaccumfaciens* subsp. *oortii*  
         conjugative properties, 403  
         resistance to chemicals, 405  
     *sepedonicum*  
         detection, 339  
         monoclonal antibodies, 338  
 Cotton leaf crumple virus, 59  
 Cowpea mosaic virus  
     amino acid homology, 337  
     replicase, 336  
*Coxiella burnetii*, 341  
*Cricanemoides simile*, 285  
*Cronartium*  
     *fusiforme*, 85, 88  
     *ribicola*, 166  
 Crop loss assessment, the  
     threshold theory, 455-73  
     agronomical aspects, 459-62  
         production situations, 459-60  
         sliding damage thresholds, 461  
     decisions, 457-58  
     models, 458  
     discussion, 469-70  
     economical aspects, 464-65  
     injury, damage, and loss terminology, 456-57  
     introduction, 455  
     phytopathological aspects  
         damage-severity relationship, 463  
         multiple infections/infestations, 463-64  
         severity-incidence relationship, 462-63  
     sociological aspects, 465-66  
         farmers attitudes, 467-68  
         farmers objectives, 466-47  
         farmers perceptions, 468-69  
         scientists objectives, 466-67  
     talking money, 455-56  
         terms, 455  
     threshold theory terms, 458-59  
 Cuticle penetration by pathogen enzymes, 223-50  
     catalytic properties of cutinase acyl enzyme intermediate, 235  
     characteristic catalytic triad, 233-34  
     involvement of active serine, 233-34  
     monomeric amphipaths interaction, 235-36  
     substrate specificity, 233  
     conclusion, 247  
     cutin and suberin biosynthesis, 227-28  
     cutinase discovery, assay, and purification, 228  
     producing pathogens, 229  
     purification, 229  
     cutinase-directed approaches for infection control, 243  
     cutinase gene structure and expression, 241-42  
     cutinase induction by cuticle, 244  
     cutinase involvement in penetration, 236-41  
     cuticular penetration modes, 228  
     defensive barriers nature  
         cutin, 223-26  
         suberin, 226  
         suberized wall model, 226  
     introduction, 223  
     molecular properties of cutinase  
         amino acid composition, 230-31  
         immunological properties, 232  
         molecular weight, 230  
         structure, 232-33  
     overall structure of cutinase, 236  
     plant surface detection by spores, 243  
     suberized walls penetration, 245-47  
 Cutin  
     biosynthesis, 227  
     nature, 223-26  
         composition, 225  
         distribution, 224  
 Cutinase  
     see Cuticle penetration by pathogen enzymes  
     3-Cyanobenzaldehyde, 183  
*Cylindrocladium*  
     *crotalariae*, 132, 234-35  
         inoculum vs infection pattern, 142  
         root infection pattern, 139  
         spatial pattern of lesions, 136  
     *scoparium*, 85, 88-89  
         disease spread, 91  
         symptom development, 90  
 Cytokinin, 393-94  
*Cytospora chrysosperma*, 93  
 D  
*Dalbulus maidis*, 499  
 de Bary, Anton, 21  
 Decanal, 186  
 Dengue virus, 335  
 Dichlofluanid, 425  
 Dickinson, 21  
 Dicloran, 426-28  
*Didymascella thujina*, 85  
 Diethylpyrocarbamate, 234  
 2,4-Dinitrophenol, 191  
*Diplodia natalensis*, 430  
*Dipodascus aggregatus*, 185, 188  
 Disease resistance, limiting the  
     effect on yield, 475-90  
     conclusions, 487-88  
     introduction, 475  
     yield-limiting effect on non-host resistance, 480-81  
     defense-like changes incited by saprophytes, 481, 483-85  
     leaf saprophyte elimination effect, 485-86  
     leaf saprophyte inoculation effect, 486-87  
     mycoflora composition on barley leaves, 482  
     saprophytic leaf fungi occurrence, 481

- yield-limiting effect of powdery mildew resistance
- active defense process of barley, 476-77
- energy costs of resistance, 477-80
- plant growth and yield, 480
- Disease resistance breeding strategies, 149-72
- cell and tissue culture techniques
  - disease-resistance breeding examples, 153-54
  - in vitro selection within heterogeneous material, 159-63
  - meristem culture, 150
  - new variability creation, 151-59
  - procedures without selection systems, 151-54
  - procedures with selection systems, 154
  - protoplast fusion, 164
  - regeneration frequencies in anther culture experiments, 162
  - screening isolated microspores, 162-63
  - spontaneous segregation during anther culture, 159
- conclusion, 166-67
- gene technology approaches
  - diagnoses, 165-66
  - gene transfer, 165
- introduction, 149-50
- Ditylenchus*
  - destructor*, 278
  - dipsaci*, 144
  - myceliophagus*, 278
- cDNA
  - cutinase, 236-37, 242
- Dodecanal, 186
- Dothistroma pini*, 93
- E
  - ELISA, 324, 327
    - monoclonal antibody-producing hybridomas selection, 328
    - virus
      - detection, 328-32
      - relationship analysis, 332
  - EPDEM, 355
    - host growth, 368
  - EPICORN, 368
    - components, 360-61
    - data basis, 362
    - host growth, 368
  - initializing the model, 369
  - validity testing, 372
- EPIDEM, 355, 363
  - data basis, 362
  - host growth, 368
  - initializing the model, 369
  - monocyclic components, 360-61
  - spatial attributes representation, 369
  - tracking time, 365
  - validity testing, 372
  - weather variables, 370
- EPIDEMIC, 355, 363
  - data basis, 362
  - host growth, 368
  - similar unit element, 367
  - spatial attributes representation, 369
  - time delay, 371
  - weather variables, 370
- Epidemic simulation modeling concepts and philosophy
  - background, 352-54
  - chronology of simulation, 355-56
  - relevance modern epidemiology, 356-57
  - science and art of simulation, 354-55
- conclusions, 374-75
- introduction, 351-52
- techniques, 358-60
  - data collection, 361-63
  - disease infection cycle, 360-61
  - functional relationships, 363-65
  - host growth and development, 368
  - initializing the model, 368-69
  - model elements, 367-71
  - similar unit element, 367
  - spatial attributes representation, 369
  - stochastic vs deterministic simulation, 367-68
  - time delays, 370-71
  - tracking time and variables, 365
  - weather variables, 370
  - validity and utility, 371
  - model experimentation and gaming, 373-74
  - model validity testing, 371-73
- EPIGRAM, 355
- EPIIMAY, 355, 360-63
  - host growth, 368
  - initializing the model, 368-69
- tracking time, 365
- weather variables, 370
- EPIMUL
  - spatial attributes representation, 369
- EPIPRE, 374, 456-57, 461, 463, 466-69
- EPIVEN, 355, 360
- Erwinia*
  - amylovora*, 402
    - avirulent mutants, 399
    - conjugative properties, 403
    - chromosomal markers mobilization, 313
    - gene linkage, 400
    - mutants, 310
  - carotovora*
    - callus cultures resistance, 157-58
    - hexuronate genes, 314
    - inoculum reduction, 423
    - lenticle contamination, 424
  - carotovora* subsp. *atroseptica*
    - detection, 339
    - prototrophic recombinants, 313
  - serogroup specific monoclonal antibodies, 338
  - carotovora* subsp. *carotovora*
    - chromosomal markers mobilization, 313
    - chromosomal replication order, 400
    - enzyme export control, 387
    - mutants, 309
    - pectate lyase, 384-85
    - pectolytic enzyme production regulation, 387
    - recombination, 401
  - chrysanthemi*
    - cellobiose utilization, 386
  - cellulase, 385
  - cellulase genes, 314
  - Hfr strains, 313
  - mutants, 309
  - pectate lyase, 384-85
  - pectinase genes, 314
  - pectolytic enzyme production regulation, 387
  - recombination, 401
  - siderophore, 395
- herbicola*
  - bacteriocins, 406
  - conjugative properties, 403
  - ice nucleation, 395
  - lactose utilization, 406
  - mutants, 309-10
  - recombination, 401
- stewartii*, 388
  - chromosome mobilizing vectors, 397
  - episomal properties, 403

- mutants, 309
- pigment, 405
- plasmids, 403
- polysaccharides, 389
- uredoovora*
  - conjugative properties, 403
  - pigment, 405
  - plasmid incompatibility groups, 405
- Erysiphe*
  - graminis*, 215-16
    - disease spread restriction, 256
    - field experiments with host mixtures, 262
  - graminis* f. sp. *hordei*
    - avirulent strain effect on host, 484, 487
    - avirulent strain effect on yield, 480
    - barley resistance factors, 476-77
    - combined pathogenicity, 264
    - energy costs of resistance, 477-80
  - Escherichia coli*, 297-98, 307, 313, 387-88, 390, 401
  - bacteriophage Mu, 302
  - carboxymethylcellulase, 385-86
  - chromosomal map similarity to *Erwinia*, 400
  - hexuronate pathway, 386
  - insertion sequences, 299
  - pathogenicity gene number, 382
  - pectolytic enzymes, 384-85
  - phosphatidyl inositol synthetase, 395
  - suicide vectors, 303
  - Ti plasmid work, 301-2
- Etaconazole, 435, 437, 441, 443-44
- Ethylene
  - sclerotia* germination, 104
- Ettlinger, Leopold, 22
- Euphorbia mosaic virus
  - particles, 60
  - vector transmission, 74
- F
- Farming Systems Research, 505
  - better techniques development for small farms, 506
  - analysis and diagnostic stage, 506-7
  - design stages, 507-8
  - field experimentation, 508-10
  - validation, 510
- Fischer, Eduard, 21
- Forest nursery diseases
  - epidemiology, 83-96
    - disease frequency, 84
    - chronic diseases, 84-85
    - combinations of frequency types, 87
    - fluctuating diseases, 86
    - endemic diseases, 85
    - sporadic diseases, 86-87
  - disease parameters, 87
  - disease progress rates, 88-89
  - host stages, 87-88
  - rapid-limited duration rates, 88-89
  - rapid-sustained rates, 89
  - slow-continuous rates, 89
  - spatial distribution, 90-91
  - sporadic rates, 89
  - symptom development, 89-90
  - disease sources, 91
    - airborne diseases, 92
    - organic residue, 92-93
    - seedborne diseases, 92
    - soilborne diseases, 92
    - waterborne diseases, 92
  - epidemic factors, 93-94
  - epidemiological methods application, 94-95
  - introduction
    - forest nursery vs agricultural crops, 83-84
    - historical, 83
- FORTTRAN, 363, 365-66, 370
- Fosetyl aluminum, 437
- $\beta$ -Fructofuranosidase, 189
- Fungicides, 265-66
- Fungistasis
  - Trichoderma* and *Gliocladium*, 30-32
- Fusaric acid, 163
- Fusarium*
  - avenaceum*
    - nematode interaction, 282
  - coeruleum*, 158
  - oxysporum*, 84, 89, 93, 158
    - disease distribution, 90
    - disease model, 94
    - nematode interaction, 282-83
    - symptom development, 90
  - oxysporum* f. sp. *chrysanthemi*, 35
  - oxysporum* f. sp. *ubensis*, 438
  - oxysporum* f. sp. *dianthi*, 158
  - oxysporum* f. sp. *lycopersici*
    - monoclonal antibodies, 342
  - oxysporum* f. sp. *medicaginis*, 158
- roseum culmorum*, 229, 232
- solani*, 283
- solani* f. sp. *pisi*, 245
  - control, 244
  - cutinase, 229, 232, 236, 238
  - cutinase gene, 242
  - cutinase inhibition, 234, 244
  - cutinase purification, 229
  - cutinase synthesis induction, 241, 243
  - host penetration, 236-37, 239-41
  - suberin degradation, 246-47
- sulphureum*, 158
- G
- Gaeumanomyces graminis*
  - nonrandom pattern of infection, 142
- $\beta$ -Galactosidase, 387
- Gäumann, Ernst, 19-22
  - letters, 22
  - rusts, 21
  - teaching, 19
  - textbook, 20-21
  - toxins, 19-20
- Geminiviruses, 55-82
  - as pathogens, 58-59
  - conclusions, 78
  - detection and diagnosis, 72-73
  - ecology and control, 75-77
  - evolutionary relationships, 71-72
  - definitive and provisional group members, 56-58
  - list, 57
  - types, 56
- genome
  - organization, 63-65
  - size and infectivity, 62
- introduction, 55
- particle properties, 59-62
  - size, 61
- replication, 65-66
- variation and relationships, 67-71
  - DNA sequence homologies, 69-70
  - variant formation, 67
- vector transmission, 73-75
- Gene-for-gene concept, 201, 216
  - differing views, 204-5
- modes, 206
  - a Boolean model, 208-10
  - other models, 208
  - Robinson's Person/Habgood model, 207-8
- proof, 205-6

- Geotrichum candidum*, 430-31  
 imazalil ineffectiveness, 436  
 inoculum reduction, 423
- Gigaspora margarita*, 279, 282
- Gliocladium*  
*fibratum*  
 antifungal metabolite, 26  
*roseum*, 40  
 ammonia effect, 30  
 mycoparasitism, 47  
*virens*, 40-41  
 biocontrol mechanism, 46  
 chlamydospores, 26  
 toxic metabolites, 27, 46
- Gliocladium*, biology, ecology and biocontrol potential, 23-54  
 aerial application, 42-44  
 biocontrol mechanisms, 45-48  
 mycoparasitism, 47  
 toxic metabolites, 45-46  
 biocontrol potential in soil  
 indigenous population role, 38-39  
 soil augmentation with *conidia*, 40-41  
 soil augmentation with fermentor biomass, 41  
 soil augmentation with fungi, 39-40  
 biocontrol role in pest management, 44-45  
 biosystematics and morphology, 24  
 ecology, 27-35  
 future research priorities, 48  
 growth, morphogenesis and sporulation in culture, 24  
 chlamydospores, 26  
 germination, 26  
 introduction, 23  
 isolation and enumeration, 28-29  
 metabolite production, 26-27  
 occurrence and distribution, 28  
 population dynamics in soil  
 chemical treatment, 32  
 establishment and proliferation, 31-32  
 establishment in rhizosphere, 35  
 soil fungistasis, 30-31  
 soil treatments, 34-35  
 survival, 29-30  
 production and delivery systems, 36-37  
 seed treatment, 41-42
- Gliotoxin, 26-27, 45-46  
 Gliovirin, 27, 46
- Globodera*  
*pallida*, 161, 288, 498  
 sex ratio determination, 286  
 temperature effect, 283
- rostochiensis*, 144, 288  
 sex ratio determination, 286  
 temperature effect, 283
- solanacearum*  
 temperature effect, 284
- Glomus*  
*etunicatus*, 279  
*fasiculatus*, 282  
*mosseae*, 282  
 $\beta$ -1,3 Glucan, 99-100, 102  
 $\beta$ -1,3 Glucanase, 47-48, 103  
 Glucose dehydrogenase, 189  
 $\beta$ -Glucosidase, 386  
 Guazatine, 436, 443-44
- ## H
- Haemophilus influenzae*, 341
- Helicotylenchus pseudorobustus*, 285
- Helminthosporium*  
*maydis*, 158  
*oryzae*, 496  
*sacchari*, 152  
*sativum*, 245  
 cutinase, 230  
*victoriae*, 157, 166, 210  
 epidemic reduction, 258  
 temperature influence on host specificity, 213
- Hepatitis B virus, 337
- Heptanal, 175
- 2-Heptanone, 189, 191
- Heterodera*  
*avenae*  
 predator-prey model, 290  
 temperature effect, 283  
 glycines  
*Rhizobium* interaction, 281  
*schachtii*, 289  
*Meloidogyne* interaction, 284-85
- Hexuronate  
 genes, 314  
 pathway, 386
- Honeysuckle yellow vein mosaic virus  
 geminiviruses relationships, 68
- Hoplolaimus*  
*columbus*, 285  
*galeatus*, 134, 136
- ## I
- Ice nucleation, 395
- Imazalil, 435-37, 440-41, 444
- Immunizing commensals, 43
- Indoleacetic acid, 310, 392-93
- Integrated pest management, 455, 457, 465
- International Maize and Wheat Improvement Center, 263
- Invertase, 189
- $\beta$ -Ionone, 175, 182, 190  
 carotene production stimulation, 190  
 carotogenic enzyme formation stimulation, 179, 190  
 occurrence, 176  
 urediniospore germination stimulation, 177-78, 183, 188  
 in pustules, 181
- Iprodione, 441
- Isobutanol, 185
- Isobutyraldehyde, 190
- Isobutyric acid, 185
- Isopentenyl adenosine, 393
- ## J
- Jaag, Otto, 19
- ## K
- Keyworth, G. A., 3
- Koch, Walo, 21
- ## L
- Lactose, 406
- Lag correlation, 137-38
- Lasioseius scapulatus*  
 nematode predator, 286
- LATEBLIGHT  
 use, 374
- Legionella pneumophilla*  
 detection, 339  
 monoclonal antibodies, 341
- Lenticles, 424, 426, 444
- Lettuce mosaic virus  
 antigenic relationships, 334  
 assay, 331
- Light  
 effect on *Sclerotium rolfsii*, 99-100
- Linoleic acid, 186, 191
- Lloyd's index of patchiness, 136, 142
- Lophodermium pinastri*, 86  
 disease source, 92
- ## M
- Macrophomina phaseoli*, 89
- Magnesium, 24
- Maize dwarf mosaic virus  
 antigenic relationships, 334  
 assay, 331

- Maize streak virus, 55, 58, 71  
 genome, 62  
 host reservoirs, 75  
 nucleotide sequence, 68  
 organization, 64-65  
 resistant plants, 77  
 spread, 77  
 variants, 67  
 vector transmission, 73-75
- Mancozeb, 439, 442
- Mango  
 postharvest disease control, 440-41
- Melampsora*  
*medusae*, 86  
*pinitorqua*, 178
- MELANI  
 host growth, 368
- Meloidogyne*  
*ardinensis*  
 cold tolerance, 284  
*arenaria*  
 antagonists, 286  
 effect on mycorrhizae, 282  
 host effect on reproduction, 285  
 chitwood  
 temperature effect, 282  
*hapla*, 282  
*Heterodera* interaction, 284-85  
 temperature effect, 283-84  
*incognita*, 132, 134-35, 137-38, 282  
 host interaction, 290  
 nematodes interaction, 285, 290  
 temperature effect, 283-84  
 yield loss over prediction, 144-45  
*javanica*, 282  
 host interaction, 290  
 temperature effect, 284
- Meria taricis*, 88  
 disease source, 92
- Meristem culture, 150-51
- Mesodiplogaster ilheriteri*, 280  
 predator, 281
- Metalaxyl, 437
- Methyl bromide, 38
- Methyl cis-ferulate, 187, 191
- Methyl heptenone, 175, 187-88, 190  
 occurrence, 176  
 urediniospore germination stimulation, 177
- 5-Methyl-2-hexanone, 177-78
- MICRO-DYNAMO, 363, 365-67, 370
- Moisture  
 effect on *Sclerotium rolfsii*, 99, 104
- Molecular genetics of bacteria and plasmids, 381-419  
 agrobacteria virulence and host-range control, 396  
 host-range control, 396-97  
 T-DNA transfer, 396  
 chromosomal gene arrangement, 400-1  
 host-pathogen interactions, 382-83  
 ice nucleation, 395  
 introduction, 381-82  
 iron transport and fluorescent pigments, 394-95  
 pectolytic, cellulolytic, and related activities, 383  
 cellulases, 385-86  
 enzyme export control, 387  
 gene regulation, 387-88  
 $\beta$ -glucosidases and glucoside permease, 386  
 hexuronate metabolism and transport, 386-87  
 pectolytic enzymes, 383-85  
 phytohormones, 392  
 cytokinin, 393-94  
 indoleacetic acid, 392-93  
 plasmids and associated traits, 402  
 bacteriocins, 406  
 catabolic traits, 406-7  
 chemical resistance, 405  
 episomal and conjugative properties, 403-4  
 incompatibility, 404-5  
 occurrence, 403  
 other associated traits, 407  
 yellow-pigment production and thiamine autotrophy, 405-6  
 polysaccharides, 388  
 race/cultivar specificity, 397-98  
 recombination mechanisms, 401-2  
 summary, 407-8  
 toxins, 390  
 antimycotic, 391-92  
 coronatine, 390-91  
 phaseolotoxin, 391  
 syringomycin, 391  
 syringotoxin, 391-92  
 virulence genes with other functions, 398-400
- Monilinia fructicola*  
 quiescent infections, 424-25
- Monoclonal antibodies in disease research, 321-50  
 applications in mycology, 342-43  
 applications in virology, 325
- biochemical applications, 334-37  
 diagnostic applications, 329  
 immunological assays, 327-29  
 monoclonal antibodies specific for plant viruses, 325-26  
 taxonomic relationships, 332-34  
 viral proteins antigenic structure, 325, 327
- conclusions, 343  
 introduction, 321-22  
 hybridoma, 322  
 phytobacteriology applications, 337  
 disease control, 342  
 disease detection and diagnostics, 338-40  
 identification and classification, 340-41  
 production, 323  
 cell fusion, 323-24  
 immunization, 323  
 myeloma cell lines, 323  
 screening hybridomas, 324
- Monochoides potitohikus*  
 predator, 281
- Mononchids, 281
- Morisita's index of dispersion, 136
- Mucor  
*mucedo*, 43  
*pyriformis*  
 inoculum control, 423
- Multiline cultivars and variety mixtures for disease resistance, 251-73  
 conclusions, 269-70  
 disease control in conjunction with other strategies, 266-67  
 disease restriction in mixtures, 255-58  
 mechanisms, 255-56  
 experimentation with mixtures, 261-62  
 fungicides and variety mixtures, 265-66  
 introduction, 251-52  
 mixture definition, 252  
 mixture components choice, 263-65  
 mixtures potential, 252-55  
 prediction, 253-54  
 pros and cons, 253-54  
 multilines, line mixtures or variety mixtures, 262-63  
 pathogen evolution in mixtures, 258-60  
 mixture durability, 259-60

- technology delivery, 267-69  
Mung bean yellow mosaic virus, 59  
bipartite genome, 62  
host reservoirs, 75  
infective DNA, 63  
spread, 76  
*Mycosphaerella melonis*, 180
- N
- Naef-Roth, Stephi, 19  
Negative binomial distribution, 133-34, 136, 142  
*Neisseria gonorrhoeae*, 339  
*meningitidis* detection, 339  
Nematode ecology in agroecosystems, 275-96  
agroecosystems, 275-76  
conclusions, 291  
introduction, 275  
niche  
definition, 278  
the plant, 276  
interactions, 277  
rhizosphere complexity, 276-78  
population dynamics, 287  
population dynamics modeling, 287-89  
multiple nematode species models, 289  
plant parasite: host interactions, 290-91  
predator-prey models, 289-90  
simulation modeling, 291  
population regulation, 283  
antagonists, 286  
nematode-nematode interactions, 284-85  
sex ratio, 286-87  
temperature, 283-84  
trophic structure, 278  
bacterivores, 279  
fungivores, 278-79  
omnivores, 280  
plant parasites, 281-83  
predators, 280-81  
*Nematophthora gynophila*  
predator-prey model, 290  
Neyman Type A distribution, 134, 142  
Nicotine, 178-79  
Niederhauser, John, 8  
Nitrogen fixation  
nematode effect, 280, 282  
p-Nitrophenyl palmitate, 233  
3,6 Nonadienol, 179  
Nonanal, 174-75, 182, 190-91  
appressoria formation inhibition, 186  
interaction with water, 187-88  
mycelial growth stimulation, 184-85  
occurrence, 174  
rust spore germination in pustules, 181  
stimulation, 175-76, 178-79, 187-88  
Nonanenitrile, 183  
Nonanoic acid, 188  
Nonanol, 181-82, 185, 190  
pine pollen germination stimulation, 183, 188  
spore germination, 188  
2-Nonanone, 178, 183-84, 189, 191  
2-Nonenal, 186
- O
- Oat chlorotic stripe agent, 56  
Octanol, 181, 188  
enzyme induction, 189  
Octylthiocyanate, 183-84  
Ornithine carbamoyltransferase, 391  
Ovalrat  
use, 139-41  
variance analysis, 137-38  
Oxalic acid, 106-8, 114
- P
- Papaya  
postharvest disease control, 441-43  
Papillae, 484  
*Paratylenchus projectus*, 285  
Pea leaf roll virus, 330  
Pectate lyase, 387-88  
molecular genetics, 384-85  
Pectinase  
genes, 314  
Pectolytic enzymes  
molecular genetics, 383-85  
production regulation, 387-88  
*Penicillium digitatum*, 186, 188, 430-31, 433  
fosetyl aluminum treatment, 438  
fungicide resistance, 434  
imazalil control, 435-36  
inoculum reduction, 423  
prochloraz control, 436  
*italicum*, 430-31  
fungicide resistance, 434  
guazatine resistance, 436  
imazalil control, 435-36  
prochloraz control, 436  
*Peniophora candida*, 185  
*Periconia circinata*, 155  
*Pestalotia rhododendri*, 186  
pH  
effect on *Sclerotium rolfsii*  
growth, 100  
sclerotia, 103-4  
Phaseolotoxin, 391  
*Phellinus weirii*  
biocontrol, 44  
Phenylalanine ammonia lyase, 158  
2-Phenylethanol, 189  
Phialoconidiogenesis, 25  
*Phoma lingam*, 154-55, 157  
*Phomopsis citri*, 430  
*juniperova*, 85  
*sclerotoides*, 40  
Phosphatidyl inositol synthetase, 395  
*Phycomyces blakesleeana*  
carotene formation, 190  
Phytoene, 190  
*Phytophthora cactorum*  
cutinase, 229  
*cinnamomi*, 31, 40, 157  
*citrophthora*  
control, 437-38  
*infestans*, 152, 157, 245  
host resistance breeding, 155-56  
*megasperma*, 155  
*parasitica*, 155  
control, 437  
inoculum reduction, 423  
*parasitica* var. *nicotianae*  
inoculum vs disease pattern, 144  
*Phytophthora* root rot, 85, 88-90  
Pineapple  
postharvest disease control, 443  
Plant pathology at crossroads, 1-11  
defining research goals and opportunities, 2-4  
research support decline, 2-3  
disease control in Third World countries, 8-10  
guest plant pathologists at meetings, 10  
increased research emphasis areas, 6  
introduction, 1-2  
relation to expanding world populations, 6-8  
summary, 10



- technological advances and social changes effect, 4  
bacterial biocontrol agents, 5  
recombinant DNA technology, 4-6
- Plant pathology in small farm context, 491-512  
introduction, 491-92  
production systems and plant disease, 493-94  
intensive sedentary agriculture, 499-501  
semi-intensive sedentary agriculture, 496-99  
slash and burn agriculture, 494-95  
small farms characteristics, 492-93  
technological development for small farmers, 501-2  
analysis and diagnostic stage, 506-7  
design stage, 507-8  
Farming Systems Research approach, 506-10  
field experimentation, 508-10  
plant pathologists perspective, 502-5  
validation, 510
- Plasmids  
see Molecular genetics of bacteria and plasmids  
*Plasmopara viticola*, 154  
Poisson distribution, 133-34, 139
- Pollen  
germination stimulation, 183, 188
- Polygalacturonase, 106-8
- Polyporus brumalis*, 185
- Polysaccharides  
bacteria-plant interactions, 388  
molecular genetics, 389-90
- Postharvest diseases of fruits, chemical control, 421-54  
conclusions, 444-46  
disease control strategies, 422  
disease development and spread suppression, 427-28  
field infection prevention and eradication, 423-25  
inactivation of wound infections, 425-27  
inoculum reduction, 423  
fungicide treatments, 428-30  
application, 430  
avocado, 443-44  
banana, 438-40  
citrus, 430-38  
mango, 440-41  
minor tropical fruits, 444  
papaya, 441-43  
pineapple, 443  
selection, 429-30  
introduction, 421-22
- Potato leafroll virus, 153, 161-62, 164  
detection, 330
- Potato virus X, 161  
detection, 330
- Potato virus Y, 153, 161  
antigenic relationships of strains, 334  
detection, 330
- Pratylenchus coffeae*  
*Tylenchulus* interaction, 285
- penetrans*  
*Fusarium* interaction, 282-83
- scribneri*, 134, 136
- Prochloraz, 435-36, 443-44  
n-Propanol, 186
- Prunus necrotic ringspot virus  
antigenic relationships, 333  
assay, 331  
structure disruption, 328
- Pseudobactin, 394
- Pseudomonas fluorescens*  
ice nucleation, 395  
siderophores, 394
- putida*  
fluorescence genes, 394  
*solanacearum*, 301, 388, 498, 504  
avirulent mutants, 310, 399  
bacteriophage Mu, 302  
pathogenicity mutants, 306  
polysaccharides, 389  
recombination mechanisms, 401
- syringae*, 157, 301  
suicide vector, 306
- syringae* pv. *atropurpurea*  
coronatine, 390  
plasmid caused aggregation, 407
- syringae* pv. *glycinea*  
avirulence gene, 312-13  
avirulent mutants, 399  
coronatine plasmid, 390  
gene loci, 403  
gene transfer, 403  
incompatible reaction mechanism, 212  
race specificity genes, 398  
recombination, 401
- syringae* pv. *lachrymans*  
endogenous transfer system, 403-4  
streptomycin resistance transfer, 405
- syringae* pv. *mori*  
conjugative properties, 403
- syringae* pv. *morsprunorum*  
endogenous transfer system, 403  
gene loci linkage, 400
- syringae* pv. *phaseolicola*  
avirulent mutants, 310, 312, 399  
episomal properties, 403  
fluorescence genes, 395  
insertion elements, 401  
pathogenicity mutants, 306, 311  
plaseolotoxin genes, 391  
plasmid-chromosome recombination, 310  
plasmid incompatibility, 405  
recombination, 401  
repetitive sequence, 402
- syringae* pv. *pisi*  
avirulent mutants, 310, 399  
pathogenicity mutants, 306, 312
- syringae* pv. *savastanoi*  
indoleacetic acid synthesis, 392-93  
insertion elements, 401-2  
insertion sequence elements, 299  
virulence gene mutation, 310
- syringae* pv. *syringae*, 407  
antibiotic compound production, 391-92  
avirulent mutants, 310, 399  
fluorescence genes, 394  
ice nucleation, 395  
outer membrane proteins, 395  
pathogenicity mutants, 306, 311-12
- syringae* pv. *tabaci*, 312, 407  
conjugative properties, 403
- viridiflava*  
ice nucleation, 395
- Psorn, 391
- Puccinia carthami*, 179  
*chondrillina*, 178, 189  
*coronata*, 181  
*graminis*, 201  
environment influence on host specificity, 211  
gene-for-gene relationship, 205

- graminis* var. *tritici*, 187  
 appressoria formation inhibition, 186  
 nonanal source, 191  
 pathogenicity characters distribution, 164  
 urediniospore germination stimulation, 176-79, 181, 183, 188
- helianthi*  
 urediniospore germination stimulation, 177, 181, 187
- iridis*, 178
- podophyllii*, 179
- punctiformis*, 178-79, 189
- recondita*, 179, 181, 201
- Boolean model, 216  
 environment influence on host specificity, 212  
 gene-for-gene relationship, 205
- rubigo-vera*, 181
- sorghii*, 181  
 environment influence on host specificity, 212
- striiformis*, 201  
 farmer reaction to outbreak, 468  
 production level and control costs, 459  
 soil type and fertilizer effect, 460  
 warning threshold, 459
- tritici*  
 environment influence on host specificity, 211
- Pyricularia grisea*  
 control, 439
- Pythium*  
*middletonii*, 279  
*ultimum*, 38, 40  
 biocontrol, 46  
 integrated biocontrol, 45
- R**
- Raspberry bush dwarf virus  
 detection, 331
- Red clover necrotic mosaic virus, 334
- Rhizobium*  
*japonicum*  
 nematode interaction, 281
- meliloti*  
 bacteriophage Mu, 302  
 strain specific monoclonal antibodies, 340
- Rhizoctonia solani*, 26, 38, 40, 47, 134-35, 496  
 biocontrol, 42  
 integrated, 45
- control by nematodes, 278  
 lesion distribution pattern, 139
- Trichoderma mechanism, 46  
 suppressive soils, 39
- Rhizopus, 422, 426-28
- Ri plasmid, 307
- Rice dwarf virus  
 detection, 332
- Rishitin, 477
- RNA-dependent RNA replicase complex, 336
- Root diseases  
 see Soilborne pathogens, spatial analysis
- Rosellinia herpotrichoides*, 87
- Rotylenchulus reniformis*, 281-82  
 Meloidogyne interaction, 285
- Rhynchosporium oryzae*, 496
- S**
- Salicin, 386
- Salicylaldehyde, 179
- Salicylanilide, 443
- Salmonella typhimurium*, 297, 401
- Scirrhia acicola*, 93
- Sclerotinia lagerbergii*, 90, 93  
 disease spread, 91
- Sclerotia  
 control, 114-15  
 counts  
 peanut stem lesions, 143  
 eruptive germination stimulation, 185  
 formation  
 affecting factors, 98-101  
 germination  
 environment influence, 104  
 forms, 102  
 infection, 106  
 influence of substrates, 102-4  
 inhibition as control measure, 105  
 soil microorganisms influence, 104-5  
 germination stimulation, 192  
 recovery from soil, 111  
 soil, 110  
 structure and composition, 101-2  
 survival, 112-13
- Sclerotinia minor*  
 inoculum vs disease pattern, 143-44
- Sclerotium*  
*bataticola*, 84  
 symptom severity, 90
- cepivorum*, 38, 40  
 inoculum vs infection pattern, 143
- roffsii*, 34, 38, 47, 132, 134-35, 138, 141  
 field control, 40  
 inoculum vs infection pattern, 143  
 integrated biocontrol, 44-45  
 sclerotia germination, 185  
 sclerotia germination stimulation, 192  
 sclerotia invasion by Trichoderma, 33
- Sclerotium roffsii*, biology, ecology and control, 97-127  
 conclusions, 116-17  
 disease control strategies  
 biological methods, 115-16  
 chemical control, 114  
 cultural practices, 115
- epidemiology  
 abiotic factors affecting survival, 112-14  
 biotic factors affecting survival, 113-14  
 control possibilities, 114  
 factors influencing disease incidence and severity, 111-12  
 factors influencing survival, 112-14  
 inoculum density and disease incidence, 111  
 inoculum distribution in fields, 110-11  
 infection and factors affecting virulence  
 disease control by infection establishment prevention, 108  
 factors influencing pathogenicity and virulence, 107  
 infection process, 106-7  
 mycelium from germinating sclerotia, 106  
 introduction, 97-98  
 mycelial growth and sclerotial production  
 aeration effect, 98-99  
 light effect, 99-100  
 moisture effect, 99  
 nutritional factors and chemicals effect, 100-1  
 structure and composition of sclerotia, 101-2  
 temperature effect, 98  
 sclerotial germination  
 assay substrate and nutrient influence, 102-3  
 chemicals influence, 103-4

- environment influence, 104  
forms, 102  
inhibition as control measure, 105  
soil microorganisms influence, 104-5  
volatile compound influence, 103  
sexuality and genetics  
sexual state formation, 108-9  
variability, 109-10
- Scutellonema*  
*brachyurum*, 285  
*cavenessi*  
effect on nitrogen fixation, 281-82
- Sendai virus, 335
- Septoria nodorum*  
soil type and fertilizer effects, 460-61  
wheat varieties mixture effect, 255
- Serine hydrolase, 233
- SIMPHYT, 355
- Sirococcus strobilinus*, 93
- Sodium carbonate, 430-31
- Sodium phenylphenate, 428, 430, 432, 434, 442-44  
resistance, 434
- Sodium o-phenylphenol, 431
- Soil  
depth effect on *Sclerotium rolfsii*, 104  
Soilborne pathogens, spatial analysis, 129-48  
conclusions, 145  
data collection, 138  
data quality, 141  
quadrants, 139-41  
sampling unit, 138-41  
inoculum and disease patterns interrelationship, 141  
introduction, 129-30  
terminology, 130-31  
methodology, 132  
disease incidence maps, 132-33  
dispersion indices, 135-37  
frequency distributions, 133-35  
lag correlation, 137-38  
quadrant variance techniques, 137-38  
spectral analysis, 137-38  
purpose, 131
- Solanum apical leaf curl virus, 56  
particles, 59
- Somaclonal variation, 151, 154-55
- Sorbic acid, 435
- Southern bean mosaic virus  
detection, 332
- Soybean mosaic virus  
antigenic relationships, 330  
detection, 330-31  
Spectral analysis, 137
- Spiroplasma citri*  
monoclonal antibodies, 340
- Sporidesmium sclerotivorum*, 47
- Squash leaf curl virus, 59  
detection, 72  
geminiviruses relationships, 68  
inactivation, 60
- Stereum*  
*purpureum*, 43  
*sanguinolentum*  
growth stimulation, 184-85
- Streptomyces scabies*, 153, 245  
cutinase, 229, 232
- Streptomycin, 405
- Styrene, 184
- Suberin  
biosynthesis, 227  
nature, 226-27  
suberized wall model, 226
- Suicide plasmids, 303, 306-7, 311
- Sulfur dioxide, 430
- Sweet clover necrotic mosaic virus, 334
- Syngomycin, 391-92, 407  
siderophore role, 394
- Syngotoxin, 391-92
- T
- Tartrate, 406
- T-DNA  
transfer, 396, 402
- Teliospores  
germination stimulation, 179, 194
- Temperature  
effect  
host specificity, 212-13  
*Sclerotium rolfsii*, 98, 104  
nematode population regulation, 283-84
- Thiabendazole, 425-27, 430, 432, 435-36, 441-44  
banana treatment, 439-40  
resistance, 434
- Thiamine, 405-6
- Thiophanate-methyl, 426, 432-33, 439, 441
- Thiram  
effect on *Trichoderma*, 34
- L-Threonine, 107
- Thurston, H. D., 8
- Ti plasmid, 301-2, 307, 381, 396, 402, 407
- incompatibility groups, 404-5  
mutants characteristics, 308  
pathogenicity genes, 382  
opine permeases, 405
- Tobacco etch virus  
antigenic relationships, 334  
inclusion body protein study, 335  
structure disruption, 328
- Tobacco leaf curl virus, 77  
geminiviruses relationships, 68
- Tobacco mosaic virus, 159  
antigenic structure, 327  
monoclonal antibodies, 328-29  
amino acid sequence homology, 337  
strain differentiation, 334  
virus infection studies, 335
- Tobacco streak virus  
antigenic relationships, 333
- Tobacco vein mottle virus  
antigenic relationships, 334  
inclusion body protein study, 335
- Tobacco yellow dwarf virus  
geminiviruses relationships, 68
- Tomato golden mosaic virus  
diagnosis, 71-72  
evolution, 71  
geminiviruses relationships, 68-69  
DNA sequence homologies, 70-71
- genome  
components, 62  
organization, 63  
transmission, 75
- Tomato leaf curl virus, 59
- Tomato pseudo-curly top virus, 56  
host reservoirs, 75  
vector transmission, 74
- Tomato ringspot virus  
detection, 331
- Tomato yellow leaf curl virus, 59  
host reservoirs, 75  
spread, 76
- Transposon mutagenesis and virulence genes, 297-320  
chromosomal mobilization systems, 313-14  
*Agrobacterium*, 314  
*Erwinia*, 313-14  
conclusions, 314-15  
introduction, 297-98  
mobile genetic elements definition and properties, 298-99

- bacteriophage Mu, 301  
 drug-resistance transposons, 300  
 insertion sequence elements, 299  
 transposons, 299-301  
 mutant characteristics  
*Agrobacterium* species, 307-8  
*Erwinia* species and subspecies, 308-10  
*Pseudomonas* species and pathovars, 310-13  
*Xanthomonas* species, 313  
 vectors, 301  
 bacteriophage Mu, 302  
 chromosome mobilizing vectors, 307  
 Mu and mini-Mu lac gene-fusion plasmids, 302-3  
 mutagenizing cloned DNA, 307  
 plasmids and transposable elements for mutagenizing phytopathogens, 304-5  
 suicide vectors, 303, 306-7  
 suicide vector selection, 306  
 Transposon Tn5, 306-12, 314, 390-92, 395, 399  
 properties, 300-1  
 Triadimefon, 444  
*Trichoderma*  
*hamatum*, 31, 41, 48  
 ammonia effect, 30  
 antibiotic formation, 27  
 biocontrol agent, 42  
 chlamydospores, 25  
 distribution, 28  
 mycoparasitism, 47  
 suppressive soil, 39  
*harzianum*, 31, 41, 48, 101  
 ammonia effect, 30  
 biocide effect in soil, 33  
 biocontrol agent, 42, 44-45  
 biocontrol mechanism, 46  
 chlamydospores, 26  
 conidia survival in soil, 29  
 delivery systems, 36  
 distribution, 28  
 lack of rhizosphere establishment, 35  
 metabolites, 27  
 mutagenesis, 38  
 mycoparasitism, 47  
*Sclerotium* control, 40, 114, 116  
 suppressive soils, 39  
 thiram tolerance, 34  
*konigii*  
 ammonia effect, 30  
 distribution, 28  
*lignorum*, 46  
*polysporum*  
 biocontrol agent, 43  
 distribution, 28  
 pellet formulations, 36  
 trichodermin, 27  
*pseudokoningii*  
 biocontrol agent, 42, 44  
 distribution, 28  
*viride*, 31, 39-41, 114  
 biocide effect in soil, 33  
 biocontrol agent, 42-43  
 chlamydospores, 26  
 delivery systems, 36  
 distribution, 28  
 gliotoxin, 45-46  
 heat effect on suppression of *Fusarium*, 35  
 magnesium effect on growth, 24  
 mutagenesis, 38  
 mycoparasitism, 47  
 photoinduced sporulation inhibition, 25  
 Trichoderma, biology, ecology and biocontrol potential, 23-54  
 aerial application, 42-44  
 biocontrol mechanisms, 45-48  
 mycoparasitism, 47  
 toxic metabolites, 45-46  
 biocontrol potential in soil  
 indigenous population role, 38-39  
 soil augmentation with fungi, 39-40  
 soil augmentation with fermentor biomass, 41  
 soil augmentation with fungi, 39-40  
 biocontrol role in integrated pest management, 44-45  
 biosystematics and morphology, 24  
 ecology, 27-35  
 future priorities, 48  
 growth, morphogenesis and sporulation in culture, 24  
 germination, 26  
 growth, 24-25  
 morphogenesis, 25  
 sporulation, 25-26  
 introduction, 23  
 isolation and enumeration, 28-29  
 metabolite production, 26-27  
 occurrence and distribution, 28  
 population dynamics in soil  
 chemical treatment, 32  
 establishment and proliferation, 31-32  
 establishment in rhizosphere, 35  
 soil fungistasis, 30-31  
 soil treatments, 34-35  
 survival, 29-30  
 production and delivery systems, 36-37  
 seed treatment, 41-42  
 Trichodermin, 27  
 Triforine, 444  
 Trisporic acid, 190  
 Tryptophan, 392  
 Turnip yellow mosaic virus replication complex, 336  
*Tylenchulus semipenetrans*  
*Pratylenchus* interaction, 285  
 U  
*Ulocladium consortiale*  
 cutinase, 229, 232  
 Urediniospores  
 carotenes, 179  
 germination  
 in pustules, 180-83, 192-93  
 stimulation, 176-79, 187-89, 192-93  
 nonanal source, 191  
*Uredo eichhorniae*, 178  
*Uromyces*  
*phaseoli*  
 urediniospore germination stimulation, 177, 181, 188-89  
*pontederiae*, 178  
*trifolii-repentis*, 178  
*vignae*, 181, 183, 189  
 urediniospore germination stimulation, 177  
*Ustilage*  
*avenae*, 179  
*maydis*, 179  
*tritici*, 179  
 V  
*Verticillium dahliae*, 40-41, 132, 135, 140  
 alfalfa volatiles effects, 185-86  
 Vesicular stomatitis virus, 335  
 Viridin, 26-27, 46  
 W  
 Water  
 spore germination stimulators interaction, 187

Watermelon mosaic virus  
  antigenic relationships, 334  
  inclusion body protein studies,  
    335  
Weber, Sophie, 21  
Wheat dwarf virus  
  detection, 72  
  in vector, 74  
Wheat streak mosaic virus  
  temperature influence, 213

## X

*Xanthomonas*

*campestris*, 166  
    suicide plasmids, 306  
  *campestris* pv. *campestris*  
    avirulent mutants, 399  
    identification, 338  
    pathogenicity mutants, 313  
    subgroups, 340

  transposons, 300  
  *campestris* pv. *malvacearum*  
    avirulence genes, 398  
  *campestris* pv. *vesicatoria*  
    chemical resistance, 405  
    conjugative properties, 403  
    endogenous transfer system,  
      404  
  host range control, 398